

Innovate.Design.Manufacture.





2024 EVENTS

WEPTAC – January 10-11 | Nellis AFB SHOT Show – January 23-26 | Las Vegas, NV JCAS Symposium – TBD | Virginia Beach, VA Enforce Tac – February 26-28 | Nuremberg, Germany SHOP Show – February 6-7 | Colorado TTPOA – April 25-26 | Round Rock, TX SOF Week - TBD | Tampa, FL Rampart Range Day – May 24 | Canada Eurosatory – June 17-21 | Paris NTOA – TBD | Aurora, Colorado MSPO – TBD | Poland AUSA – October 14-16 | Washington, DC

IACP – TBD | San Diego, CA

3800

SHOP Show Raeford – October 8 | Raeford, NC

FOR THE LATEST UPDATES **FOLLOW US ONLINE**

SANDSPRECISION.COM/EVENTS

CONTENTS

ILLUMINATION Helmet & Weapon Systems

CARRIERS PlateFrames & Harnesses

MARITIME **Diving & Accessories**

LOADOUTS Packs & Pouches

BELT SYSTEMS

RETENTION SYSTEMS

NAVGEAR

S & S PRECISION OEM Capabilities & NSN Index





X

٦

າາ

PRINGS S 4190 Slate LEED prings 111







Mark SB™



MARK SB

The MARK SB is the latest illumination beacon by S&S Precision, aimed at providing the Military & Law Enforcement community and the commercial market a versatile marker with the ability to replace the 2032 lithium batteries. It can be attached by the use of Velcro on the baseplate or a clip to secure to any 1" webbing or MOLLE. It is waterproof to 100'. The MARK SB is available in two different models; Tactical and Adventure.

TACTICAL MODEL:

- IR Low
- IR High
- Green Overt Steady
- Green Overt Steady with White flash overlay

ADVENTURE MODEL:

- 4 Pre-programmed modes:
- 8 color options: Red, Orange, Yellow, Green, Blue, White, Purple and Pink











Manta Strobe™

V-Lite™



The Manta Strobe™ is a multi-spectrum light emitter optimized for Military & Law Enforcement operations. Our goal is clear: keep it simple for the end user, provide the highest level of performance through "select" electronic components combined with smart programming for highest output and extended battery life.

- Primary overt LEDs are visible beyond the FAR105.19 requirements (3 statute miles)
- One-handed intuitive operation with vibrating feedback
- Other spectrums available upon request •
- Aluminum Tailcap is standard on all models .
- Zero accidental overt light discharge .
- Tool-less battery replacement (CR123A battery not included)
- Manta Webbing Adapter (MWA) included
- IPX8 Waterproof up to 150 ft .
- IFF, CID
- Weight with battery: 2.12 oz
- MWA weight: 0.4 oz
- Patent #: US 8485686, US 8882292, US 10024527
- NSN available see NSN Index page 65





CUSTOM PROGRAMMING AVAILABLE



USER INSTRUCTIONS <u>sspgear.com/</u> end-user-instructions



V-LITE[™] MULTI-COLOR

The V-Lite[™] Multi-Color gives all the same versatility as the V-Lite™ Multi-Mode with 3 colors built in to choose.

FUNCTIONS:

- On / Off Blue
- On / Off Red
- On / Off Green
- Alternating from Green to Red • Alternating from Red to Blue





V-*LITE*[™] MULTI-MODE

The V-Lite[™] Multi-Mode is 1 single color with multiple programmed functions at the click of one button. Available in 9 colors.

PROGRAMMABLE FUNCTIONS:

- On / Off
- Blink / Off
- On / Blink / Off
- 1/4, 1/2, 3/4, Full Output



M-AX Mount™

Aviation Light Mount





$M-AX MOUNT^{m}$

- Powerful helmet mounted flashlight
- Positions the flashlight up and above the helmet rail
- Lightweight, low profile design
- Small assembly with multi-axis range of motion
- Mounts to the Gentex/Ops-Core, Team Wendy (2.0 & 3.0 Rail) and Galvion Helmets
- Compatible with all SureFire® 3V components
- Compatible with all B.E. Meyers® KIJI components
- Mount sold individually or with the SureFire® 3V headlamp and tail cap
- Patent #: US 8727556

TASK LIGHT HELMET MOUNT KIT

• Provides a dedicated mount to run the Princton Tec MPLS that can attach both the SPH-4 and the HGU-56 flight helmets







3 MOUNTING OPTIONS











.....



IFM Series





Internet in the second se

- Materials: 7075/6061 aluminum, and 4140 steel
- Tool-less mounting system
- Compatible with all SureFire® 3V components
- IFM available with or without SureFire components
- Left or Right IFM options available
- Patent #: US 9562550



INTEGRATED FLASHLIGHT MOUNTS (IFM)


- The IFM positions the flashlight into a fixed offset position and reduces the overall profile of the forward hand guard
- Avoid protruding lights, and snag hazards
- Partnered with SureFire®, the IFM delivers a low profile offset position in a robust machined housing with the most advanced tactical lighting technology in the world

In Internet in the Internet in

- Materials: 6061 aluminum
- IFM Rigid 6V available
- Compatible with SureFire® 3V and 6V components
- 3V and 6V available with or without SureFire® light
- IFM available with or without SureFire components
- Left or Right IFM options available
- Patent #: US 8727556



MOUNTING OPTIONS: The diagram depicts the offset mount positions while facing the barrel of an unloaded weapon. The IFM Rigid can be mounted on the 12, 3, 6 and 9 o'clock positions.




ILLUMINATION

ARRIERS

PlateFrames & Harnesses



Auto-Fit Cummerbund™



The Auto-Fit Cummerbund (Patent #: US 10605574) distributes the max loadout across/around the torso, reducing the weight on the trapezius muscles

ADJUSTABLE TENSION SYSTEM





Extended State

Provides 3" of travel per side, for a total of 6" of adjustment

LO-PRO V1



- Auto-Fit Technology
- On the fly tension adjustability
- Thermoplastic composite reinforced to minimize tactical load shift/sag
- Minimalist footprint 2" height
- External MOLLE/PALS field
- 3" Expansion travel per side

• E-Buckle or Polymer Buckle

• Internal Velcro loop field

All 3 cummerbunds are configurable with an E-Buckle or Polymer Buckle. Buckle configuration dependent upon carrier or harness.



E-BUCKLE

- Low profile 0.405" thick
- Stainless steel and aluminum construction
- Dual actuated side release
- Textured locking buttons



CARRIERS



- Auto-Fit Technology
- On the fly tension adjustability
- Thermoplastic composite reinforced
- to minimize tactical load shift/sag
- Minimalist footprint 2" height
- External & internal MOLLE/PALS field
- 3" Expansion travel per side
- E-Buckle or Polymer Buckle



- Auto-Fit Technology
- On the fly tension adjustability
- Thermoplastic composite reinforced to minimize tactical load shift/sag
- Height: 3"
- External & internal MOLLE/PALS field - Secured via Velcro hook and loop backed panels
 - Allows users to mount accessories and pouches that attach via Velcro
- Internal/external cable routing keepers
- 3" Expansion travel per side
- E-Buckle or Polymer Buckle
- Integrated Internal/External Cable Routing Keepers
- Velcro Mounted Pouch/Accessory Compatible





POLYMER BUCKLE

- Impact modified thermoplastic
- Ideal for maritime environments
- Push or pull release









BACK VIEW

PLATEFRAME-MODULAR™

- Optimize comfort, performance and modularity
- Customized to fit any 10x12, shooter/swimmer,
 (E)SAPI, and Velocity Systems ULV plates
- Reinforced shoulder pads
- Drag handle exceeds 300 pounds in testing
- Includes closed cell comfort foam
- Four metal E-Buckles (Polymer Buckle option available)
- Equipped with adjustable Auto-Fit Cummerbund™
- Patent #: US 10605574



PLATEFRAME-REDUX™

- Out-performs all other carriers in its class in performance, comfort, and modularity
- A single layer of semi-rigid composite material with laser-cut MOLLE/PALS slots
- Two Polymer Quick Release Buckles
- Equipped with adjustable Auto-Fit Cummerbund^{\mbox{\scriptsize TM}}
- Comfort foam and radio wings sold separately
- Patent #: US 10605574



Shown with armor and SOCs



CARRIERS



BACK VIEW

Shown with armor and SOCs



LIGHT AUTO-FIT CUMMERBUND



BACK VIEW

ADVANCED TACTICAL HARNESS™

- Lightweight harness for holding mission critical gear in a variety of environments
- Scalability into a full armor configuration allows the end user to only require one system for all mission sets
- Custom front panel with attachment points of any two Push-to-Talks and dedicated sets of rubber bands to attach tourniquets
- Constructed of lightweight, hydrophobic materials
- Four polymer quick-release buckles for rapid donning/doffing
- Includes closed cell comfort foam
- Equipped with adjustable Auto-Fit Cummerbund™
- Patent #: US 10605574

MARITIME TACTICAL HARNESS™

- Designed for surface and subsurface maritime operations
- Scalability into a full armor configuration allows the end user to only require one system for all mission sets
- Constructed of lightweight, hydrophobic materials
- Four polymer quick-release buckles for rapid donning/doffing
- Includes closed cell comfort foam
- Equipped with adjustable Auto-Fit Cummerbund™
- Patent #: US 10605574



CARRIERS



HEAVY AUTO-FIT CUMMERBUND



BACK VIEW

Armor Harness™



CHEST RIG-MODULAR™

- Designed to be a monolithic, semirigid load-bearing structure
- Scalability into a full armor configuration allows the end user to only require one system for all mission sets
- Flexible yet stable platform with the adaptability to carry a variety of loadouts
- Ultra-lightweight, durable rig that can be customized to fit any mission set
- Abdominal panel fits up to 2 radios and 3 rifle magazines
- Low-profile back harness
- Manufactured using hydrophobic materials
- Includes closed cell comfort foam



ADDITIONAL FEATURE



BACK VIEW



Optional laser cut MOLLE/PALS Admin Panel accepts a variety of pouches and smart devices

Allows the operator to add armor plates to S&S Precision Harnesses (CRM™, ATH™, MTH™) without having to change loadout configurations.









CARRIERS

ARMOR HARNESS

Table of Contents

SANDSPRECISION.COM | +1757.453.6695 | SALES@SANDSPRECISION.COM



ARITIME Diving & Accessories

Combat Dive System

LiftR™ Series



LIFTR™ 80

2 lbs. 12 oz **80 LBS OF POSITIVE** LIFT AT THE SURFACE

The LiftR[™] 80 is ANU Approved (1.1.20) with 86G CO₂ cartridge to depth of 190 fsw

- Flotation system used in surface and subsurface operations
- Floats user in a face-up operation
- Low profile, self-packing system
- Can be worn with or without armor
- multiple attachment system accessories Auto or manual inflation options available
- Fits most plate carriers
- Manual air dump/deflation
- Compatible with power inflator

.....*LIFTR™ 40*

2 lbs, 2 oz

40 LBS OF POSITIVE LIFT AT THE SURFACE

The LiftR[™] 40 is ANU Approved (1.1.18) with 45G CO₂ cartridge to depth of 50 fsw

- Flotation system used in surface and subsurface . operations
- Floats user in a face-up operation ٠
- Low profile, self-packing system .
- Can be worn with or without armor
- multiple attachment system accessories
- Auto or manual inflation options available
- Fits most plate carriers
- Manual air dump/deflation
- Compatible with power inflator




Choose a PlateFrame or Harness

(MTH[™] shown)





side-release buckles



The LiftR[™] is available in both 40 and 80 lb lift options with either auto or manual inflation. Additonally, the LiftR[™] is equipped with an oral inflation tube or re-inflation. Since the LiftR[™] is designed to help float the user in a face-up operation, it allows the user to manually dump air or deflate the unit quickly with a built-in manual air dump/over-inflation valve. The LiftRTM uses standard CO₂ cartridges and are easily able to be replaced by the user.





MARITIME

CREATE A CUSTOM DIVE SYSTEM FOR YOUR NEXT MISSION

Add the Rebreather Attachment Kit (RAK) (Connects to a Rebreather of your choosing)

Choose & add a Lift R^{M} (LiftR[™] 40 shown)





The RAK-Rebreather Attachment Kit establishes an adjustable four point connection between a rebreather and all S&S Precision Plate Carriers.

- Includes Neck and Waist Strap Adapters, as well as, shoulder and cummerbund adapters, as well as, rebreather conversion straps that connect via four 1.5" wide side-release buckles
- · Attach directly to the rebreather or the rebreather's cover via a 1.5" tri-glide and allows the user to adjust the rebreather's position on the carrier/harness
- · Side release buckle system allows the user to quickly don or doff the rebreather

Maritime Accessories



DRY BAGS

- Durable Dry Bags built for rugged waterborne operations
- YKK Aquaseal welded seams
- MOLLE/PALS mounting system
- The 8"x 10" Dry Bag has a MOLLE/PALS field on the front of the bag
- Oral inflate/deflate valve with cover, which can be used to adjust the pouch's buoyancy
- Sizes available: 8" x 10" and 6" x 7"
- S&S Precision and Watershed A Strategic Alliance





Shown with optional 3 Mag insert



FIN RETENTION

Designed to carry fins securely using a removable side release buckle and bungee keeper.



MARITIME

Table of Contents SANDSPRECISION.COM | +1757.453.6695 | SALES@SANDSPRECISION.COM



Packs & Pouches



Pack-M™





Expanded

Collapsed

TECHNICAL FEATURES

- Streamlined multipurpose pack designed to maximize loadout capability
- Capable of collapsing from a full 10L volume to a low-profile flat pack in seconds
- Laser-cut MOLLE/PALS allows for maximum loadout customization
- 4 ports of cables, antenna and hydration hose (2 shoulder/2 waist)









Compatible with the S&S PF-M[™] using its integrated Rapid Attachment Panel (RAP) technology



Configurable to any MOLLE/PALS carrier using integrated MOLLE/PALS straps and hanging tabs (compatible with the S&S PF-R™)



ADAPTS TO ANY USER'S APPLICATION



Pack M with radios and battery





ONE SIZE FITS ALL KIT INCLUDES: PACK, HOLSTER,

POUCHES & BANDOLIER

The GLH (Grenade Launcher Holster) Pack was designed to provide the end user a ready to go bag for the HK GLM/M320 Grenade Launcher. Securing the weapon system in place along with eighteen 40mm rounds inside the pack with protection from the elements.

For zip-on configuration to match a specific carrier contact sales@sandsprecision.com

6 VELCRO 40mm POUCHES

ADAPTS TO ANY USER'S APPLICATION

OUR MISSION: PROVIDE EXCEPTIONAL PERFORMANCE SOLUTIONS

S.



QUICK DOUBLE ZIPPER OPEN WITH HANDLE

> 12 ROUND 40mm BANDOLIER

UNIVERSAL ► GRENADE LAUNCHER HOLSTER

Pouches and Accessories





LOADOUTS













Table of Contents

SANDSPRECISION.COM | +1757.453.6695 | SALES@SANDSPRECISION.COM

ELT SYSTEMS Adapters & Accessories



Belt Systems

EVERYDAY CARRY (EDC) BELT



.....

- Rigid and stable belt for your Everyday Carry needs (OWB/IWB Holster, Edged Weapon, Covert Carry Accessories).
- Double layer 38mm (1.49" height) webbing wrapped with external loop Velcro field for attachment to additional gun belt system.
- Reversible buckle remove and flip the female buckle to present the webbing side to the outside.
- · Low profile stainless steel and aluminum side release buckle that easily passes through common belt loops (47mm/1.85" height).
- Compatible with all 1.5" (height) attachment clips.
- WARNING: This is not intended for climbing.



See sizing chart online.

9MM POUCH WITH SPRING TENSIONER

- Rigid magazine pouch
- Reinforced leading edge of pouch maintains open position.
- Comes with removable tension spring. Flip spring for tension at the top or bottom of pouch.
- · Compatible with MOLLE/PALS system.
- Compatible with steel and polymer 9mm magazines.



ELOS[™] BELT ADAPTER

- Bolt on Belt Adapter for the ELOS™ 556 magazine box.
- Simply wrap the adapter around your Battle Belt and lock down the position with Velcro.
- Velcro mates with Battle Belt internal hook and EDC Belt outer loop Velcro.

BATTLE BELT

- Rigid and stable gun belt platform for tactical accessories (Holster System, Mag Pouches, IFAK/tourniquet, etc.).
- Reinforced platform with internal field of hook Velcro and external field of laser cut MOLLE/PALS compatible slots.
- Adjustable sizing with low profile stainless steel and aluminum side release buckle.
- WARNING: This is not intended for climbing.



See sizina chart online

HOLSTER ANCHOR

The Holster Anchor inserts into MOLLE/PALS field, folds back over the belt and routes through the GRT™ Reinforced Belt Adapter to prevent slipping/movement.







BELT SYSTEMS








Table of Contents

SANDSPRECISION.COM | +1757.453.6695 | SALES@SANDSPRECISION.COM



Gear & Weapon Accessories

GRT System™





RETENTION SYSTEMS



GRT™ Adapters



GRT[™] BELT ADAPTER

The GRT[™] Belt Adapter provides a waist attachment platform for GRT[™] accessories. Includes the Multi-Belt Stabilizer which allows the adapter to fit a variety of belt sizes.

- Fits standard belt sizes: 11/2", 13/4", & 2"
- Weight: 5.82 oz
- Patent #: US 10238201
- NSN Available -See NSN Index page 65.



The GRT[™] Webbing Adapter provides a MOLLE/PALS compatible attachment platform for GRT[™] accessories.

- MOLLE/PALS compatible adapter
- Occupies two columns and two rows of webbing
- Weight: 1.60 oz
- Patent #: US 10238201



GRT™ ADAPTER KIT

The Adapter Kit converts soft pouches and other equipment to the GRT[™] modular system. Includes: the GRT™ Adapter with 3 sets of screws and a set of binding posts.







ELOS™ 5.56

The ELOS[™] 5.56 is a rugged, virtually indestructible, flexible magazine holster.

- Injection molded elastomer
- Tear, crack, and weather resistant
- Low noise signature
- GRT[™] adapter included
- Fits standard 5.56 magazines
- Stackable in parallel or vertical offset positions
- 2 mounting options: GRT Adapter kit OR ELOS Belt Adapter
- Hydrophobic
- Drain holes
- Weight: 2.91 oz
- Patent #: US 10238201



GRT[™] ELOS[™] 5.56 PlateFrame Kit



RETENTION SYSTEMS



SKELETONIZED MAGAZINE RETENTION[™] (SMR[™])

- Rigid magazine holder
- GRT[™] compatible
- Fits standard 5.56 magazines
- Hydrophobic
- SMR[™] weight: 1.4 oz
- Patent #: US 10238201

SMR[™] DUST-E

The SMR™ Dust-E™ ensures that dust and foreign particles do not compromise magazine function. Dust-E™ weight: 1.0 oz





GRT[™] SMR PlateFrame Kit

Pistol Retention



HOLSTER EXTENDER™

- The Holster Extender[™] allows the holster to be easily attached or removed from different gear setups utilizing any GRT[™] platform
- Lightweight design and smooth operation
- With a push of a button the Holster Extender[™] gives the shooter three set drop positions to set their holster. (0", $1\frac{1}{2}$ ", and 3"). This distance can be critical for clearing the holster when wearing bulkier gear
- Compatible with most holster brands
- Includes: GRT[™] Reinforced Belt adapter, spacers, and screw kit to set the standoff to optimize your holster carry and draw
- Patent #: US 10238201



HOLSTER ADAPTER PLATE

- The Holster Adapter Plate Allows users to set the holster's angle (+/- 10 degrees)
- Provides users with the ability to switch holsters from vertical to angled and angled to vertical
- Mounts via the Gear Retention Track
- Includes the GRT Adapter Kit, Spacers, and screw kit to optimize holster carry and draw
- Can be used in conjunction with the Holster Extender to cancel out angle
- Patent #: US 10238201




USER CONFIGURATIONS

THREE SET DROP POSITIONS 3" drop Vertical to Angled





RETENTION SYSTEMS



Angled to Vertical



Weaponlink™



The S&S Precision WeaponLink™ has been consolidated into a single design utilizing the GRT™ system for modularity with the reinforced webbing or belt adapters. The WeaponLinkTM consits of two pieces; one being the male that attaches to the rifle and the female that locks into the GRT track adapter.

- Zero weapon rotation
- Optimized for hands-free work
- Rigid and vertically stable weapon orientation
- Broad receiver opening for faster placement
- Lower profile rail grabber with single bolt clamping
- Enhanced rail grabber profile for hand stop/positioning along the rail system
- Spring ball material is wear-resistant polymer, reducing material stress over time and reduced audible snap
- Available with GRT[™] Reinforced Belt Adapter or GRT[™] Reinforced Webbing Adapter
- Snag-free design
- Compatible with 1913 Picatinny rail
- Patent #: US 8166694, US 10238201
- NSN Available -
- See NSN Index page 65



Slingclip™

- Designed to fit most standard 1" slings
- Sleek design offers versatility without bulkiness
- Effectively turns your single point sling into a two point sling
- 6061 aluminum
- · Skeletonized low-profile design with fewer components

- Patent #: US 8650794





PICATINNY

\mathbf{M} M-LOK

LOW PROFILE SLING

- Free floating snap hook wrapped with bungee silencer
- 1" flat webbing



SLINGCLIP™)



SINGLE POINT



RETENTION SYSTEMS

TWO POINT

Grenade Launcher Retention



UNIVERSAL GRENADE LAUNCHER HOLSTER

The Universal Grenade Launcher Holster (GLH-U) is designed specifically to secure and maintain the HK GLM/M320 Grenade Launcher. Due to the holster's open face design, the weapon can be easily holstered and rapidly drawn without reconfiguring the weapon. The weapon is retained via a thermoformed clamp that snaps around the trigger guard, an adjustable retention strap which prevents the weapon from disengaging the clamp, and an optional adjustable sling that can be secured to the user's plate carrier. The GLH-U can mount to MOLLE/PALS and is also compatible with S&S Precision's GRT system; GRT reinforced webbing adapter included. Utilizing S&S Precision's GRT system allows the user to rapidly transition the holster from a MOLLE/PALS platform to a belt. The GLH-U is an ambidextrous system and can easily be configured for either right or left hand carry. • Patent #: US 10238201

COMPATIBLE WITH HK GLM/M320 GRENADE LAUNCHER





GRT™ Reinforced GRT™ Webbing Adapter Adapter Adapter Panel

OUR MISSION: PROVIDE EXCEPTIONAL PERFORMANCE SOLUTIONS



RETENTION SYSTEMS



SLING & GRT™ MOUNTING KIT INCLUDED:



GRT™

Slino

Accessories

LAAW Rocket Retention

COMPATIBLE WITH HK GLM/M320 GRENADE LAUNCHER

LAUNCHER MOUNTS & ACCESSORIES

.....

These mounts allow the operator to accessorize the HK GLM/M320 with laser systems and red dot optics while maintaining the ability to collapse a full length buttstock underneath the base mount. Specifically designed to reduce material weight and overall size.



LAAW CLIP™

The LAAW Clip™ is a simple way to carry a M72 LAW (Light Anti-armor Weapon) Rocket Launcher in a vertical position on your back. The LAAW Clip™ is mounted via the MOLLE/PALS webbing system.

- Allows users to carry a LAAW rocket on their back
- Rigid vertical orientation
- Zero weapon rotation
- Attaches to MOLLE/PALS webbing using 1" webbing straps





RETENTION SYSTEMS



Table of Contents SANDSPRECISION.COM | +1757.453.6695 | SALES@SANDSPRECISION.COM



AVGEAR Navigation & Accessories

NavBoard® FlipLite™



.....

NAVBOARD®FLAP 2.0

- Enhanced durability and performance
- Molded with impact modified Nylon
- Case agnostic fits smart devices up to 3.5" W x 6.75" L x 0.6875" D with or without case
- Enables users to utilize their preferred case
- Adjustable friction hinge
- Silicone smart device retention straps featuring internal ribbing to prevent the straps from peeling off the user's smart device
- Bungee lock auto-stows out of the way and does not interfere while using a smart device
- Attaches to 4 x 2 MOLLE/PALS field via two mounting straps
- Rapid donning / doffing
- Integrated belly band slots
- Patents Pending Foreign & Domestic









- The new generation in the FlipLite[™] Accessory Pack, compatible with the NEW NavBoard FlipLite™
- FLAP 2.0 Pack includes GPS panel, compass panel and your choice of Oceanic or Suunto Compass





NAVGEAR

.....



Optional Weather Jacket

NavBoard® FlipLite™ Accessories





NavBoard® FlipLite™ in an open position

NavBoard® FlipLite™ in an open and extended position

FLIPLITE[™] EXTENDER

The Fliplite Extender allows for the end user device to be extended out for a better view of the screen while wearing O2 masks during free fall operations





NavBoard® FlipLite™ in a lowered position FLIPLITE[™] HEIGHT ADJUSTER

The Fliplite Height Adjuster allows for control of how high or low the FlipLite sits chest mounted on carriers or harnesses. The



NavBoard® FlipLite™ in a raiseded position









1 Harness



4 NavBoard® FlipLite™ with Jacket, Harness, Deep 6 Pouch, MOLLE Hanger-Horizontal, Reinforced Radio Pouch, and Extended PTT Wings (THE STACK)

EUD will fold open to a 90 degree angle, and helps clean up the area above the magazines





NAVGEAR

ON NAVBOARD® FLIPLITE[™] HARNESS

2 NavBoard® FlipLite™ with Harness



3 NavBoard® FlipLite™ with Jacket and Harness



5 NavBoard® FlipLite™ with Jacket, Harness, Deep 6 Pouch, MOLLE Hanger-Horizontal, Reinforced Radio Pouch, Extended PTT Wings and FLAP (THE STACK)

NavBoard[®] Rotary




The NavBoard® Rotary allows users to attach a wide range of consumer electronic navigation devices, with or without a protective case. It can be stowed close to the user's body, deployed in an open position and viewed in either a vertical or horizontal configuration. When stowed in vertical position the NavBoard® Rotary requires only 2 columns and 4 rows of webbing.

- Hands-free navigation
- Flip-down large panel (7" x 3.625") is designed to fit plus size smart devices
- · New features include camera window, integrated cleat, and rotating panel lock

ROTATES FOR VERTICAL OR HORIZONTAL VIEWING









FLIPMOD[™]

The FlipMod[™] is now available in a fixed horizontal orientation while allowing the GPS/altimeter panel to be reconfigured using an adjustable friction hinge to fit the user's preference. It can be stowed close to the user's body when in free-fall or deployed in an open position.

- Low profile, compact design
- Provides hands-free navigation
- Modular design and orientation
- Flip-down large panel
- $(6.875" \times 5")$ is designed to fit plus size smart devices




GRT[™] Belt and Webbing adapters included

O2D2[™].....

- Allows user to pre-breathe without wearing a helmet
- Combination of 4-way stretch and breathable mesh
- Small/Medium and Large/X-Large available





Carleton Phantom

Mask Assembly



Left buckle shown




NAVGEAR

• Optional spacer included to accommodate thicker devices • Suunto (no bezel) or Oceanic (bezel) compass options available • Patent #: US 10238201





Right side features a quick release buckle



Outer Grommets



Attach the mask buckle using variations of inner/outer grommets to adjust mask in 15 degree increments.

Table of Contents



PRECISION OEM Capabilities & NSN Index




SYS

OEM Capabilities

Team S&S understands the challenges of bringing concepts from paper to reality. Therefore, we offer our services to other small businesses that need help. We have invested significantly in our own manufacturing capabilities, to include; a diverse and creative design/engineering team, in-house mold design & manufacturing, injection molding presses, CNC machines and a number of other processes to get the job done.





DESIGN & ENGINEERING

Product development services from conceptual design to production. Our engineering team specializes in injection molded parts, sheet metal, thermoforming, CNC machined parts, hybrid composites, and technical soft goods development.

SEWING

S&S Precision's Sewing Department has over 50 years of tactical application sewing experience. We offer complete services from design and engineering to cutting, prototyping, and the final sewn production of goods.



INJECTION MOLDING

Our design and development team create custom plastic injection molds, prototypes, and assist in troubleshooting part design. S&S Precision offers 20, 80, and 100 ton presses capable of superior stable molding repeatability.

HYDRO DIP & CERAKOTE™

Our Hydro Dip (Water Transfer Printing) production operations delivers a wide variety of commercial and licensed design options for Commercial, Government, Military, and Law Enforcement Agencies. Our in-house Cerakote™ and oven curing services offer a wide range of finishing solutions for firearms, metals, plastics, weapon accessories, knives, helmets, and specialized proprietary projects.



MACHINING

With multiple in-house mills and lathes, S&S Precision is fully capable of machining a variety of parts from plastic to titanium. Our machine shop can produce multiple pieces to completion within one operation via multi-axis systems, resulting in higher productivity and reduced cost to our clients.

LASER ENGRAVING

Our facility is equipped with three laser machines to handle engraving projects and heavy-duty material cutting managed by a team of laser technicians, engineers, and graphic designers. Material capabilities include paper, leather, fabrics, wood, hard plastics, and a variety of metals.



S&S OEM CAPABILITIES









Table of Contents

SANDSPRECISION.COM | +1757.453.6695 | SALES@SANDSPRECISION.COM

NSN Index

PLATEFRAME & ACCESSORIES/COMPONENTS

PFP-RPMC	PlateFrame, Radio Pouch-MultiCam	8465016312054
PFP-RPTV	PlateFrame, Radio Pouch-ToadVine	8465016312055
PFF-0001	PlateFrame Closed Cell Flotation (set)	8470016312056
PFP-2MPBLK	PlateFrame 5.56 2 Magazine Pouch-Black	8465016312061
PFP-2MPMC	PlateFrame 5.56 2 Magazine Pouch-MultiCam	8465016312063
PFP-BQSMC	PlateFrame Breaching Quiver, Single, MultiCam	8465016312085
PFP-BQSTV	PlateFrame Breaching Quiver, Single, ToadVine	8465016312086
PFP-FPMC	PlateFrame Frag Pouch, MultiCam	8465016312089
PFP-FPTV	PlateFrame Frag Pouch, ToadVine	8465016312090
PFP-HP70MC	PlateFrame Hydration Pouch 70oz, MultiCam	8465016312096
PFP-HP70TV	PlateFrame Hydration Pouch 70 oz, ToadVine	8465016312098
PFS-S001MC	PlateFrame, SOCS-MultiCam	8470016312405
PFS-S001TV	PlateFrame SOCS-ToadVine	8470016312407
PFP-SGPMC	PlateFrame Smoke Grenade Pouch, MultiCam	8465016312409
PFP-SGPTV	PlateFrame Smoke Grenade Pouch, ToadVine	8465016312411
PFP-SPPMC	PlateFrame, Side Plate Pouch-MultiCam	8470016312416
PFP-SPPTV	PlateFrame, Side Plate Pouch-ToadVine	8470016312419
PFP-UPMC	PlateFrame Utility Pouch-MultiCam	8465016312422
PF-T001.2BLK	PlateFrame, Tactical - Black LG/XL Harness Assembly (Large Plate)	8470016312428
PF-T001.1BLK	PlateFrame, Tactical - Black SM/MD Harness Assembly (Medium Plate)	8470016312430
PFP-UPTV	PlateFrame Utility Pouch-ToadVine	8465016312427
PF-T001.1BLK	PlateFrame, Tactical- Black SM/MD Harness Assembly (Small Plate)	8470016312434
PF-T001.2BLK	PlateFrame, Tactical- Black LG/XL Harness Assembly (XL Plate)	8470016312436
PF-T001.2TV/ MC	PlateFrame, Tactical - ToadVine with LG/XL MultiCam Harness Assembly (Large Plate)	8470016312437
PF-T001.1TV/MC	PlateFrame, Tactical - ToadVine with SM/MD MultiCam Harness Assembly (Medium Plate)	8470016312439
PF-T001.1TV/MC	PlateFrame, Tactical - ToadVine with SM/MD MultiCam Harness Assembly (Small Plate)	8470016312441
PF-T001.2TV/ MC	PlateFrame, Tactical - ToadVine with LG/XL MultiCam Harness Assembly (XL Plate)	8470016312443
PF-SS(Set)MC	PlateFrame - Right and Left Shoulder Strap, MultiCam	8470016337231
PF-CB(Set)S.TV	One Left Cummerbund Strap and One Right Cummerbund Strap in ToadVine in Small	8470016337267
PF-CB(SET)S.MC	One Right Cummerbund Strap and One Left Cummerbund Strap in MultiCam in Small	8470016337270
PF-CB(Set)TV	PlateFrame - Right and Left Cummerbund Strap, ToadVine	8470016337275
PF-CB(Set)MC	PlateFrame - Right and Left Cummerbund Strap, MultiCam	8470016337278
PF-SS(Set)TV	PlateFrame - Right and Left Shoulder Strap, ToadVine	8470016337282
PFA-TPTV	PlateFrame Accessory, Tourniquet Pouch- ToadVine	8470016337285

MANTA STROBE

MS-0011	Manta Strobe, Green Overt	6210016298285
MS-0015	Manta Strobe, IR Down/Up, Solid Green, Solid Green & White Strobe	6230016302690
MWA-0001	Manta Webbing Adapter	8470016337301

V-LITE


VL-IR012V	V-Lite, Infrared On/Blink/Off w/Velcro	6230016065535
VL-R012V	V-Lite, Red On/Blink/Off w/Velcro	6230016287083
VL-G012V	V-Lite, Green On/Blink/Off w/Velcro	6230016287084

GEAR RETENTION

SMR-BA001BLK Gear Retention Track-SMR-BA001TN Gear Retention Track

WEAPONLINK

WL-M001	WeaponLink (MOLLE Version)	1005016292391
WL-B001	WeaponLink (Belt Version)	1005016296607



COLOR KEY: MultiCam; Toadvine; Coyote Tan; Coyote Brown; Black; Tactical Gray



-Belt Adapter, Black	8470016337288
Belt Adapter, Tan	8470016337293

Products available on:





757.453.6695sandsprecision.com2504 Squadron Court, Unit 110Virginia Beach, VA 23453







sandsprecision

on S

DEALER LOCATOR: sandsprecision.com/store-locator

SANDSPRECISION.COM



S&S PRECISION'S Patent information

2024 S&S Precision, LLC | 12182024 | v10